

NOVA LUCE

Novelties
Outdoor Collection
2024



For
brightening
your natural
moments

our novelties
decorative collection
curated with the intention
to inspire



outdoor

OUTDOOR

Bollard

22 | VIRTUS



24 | SOLSTICE



27 | TUBE



29 | SASSO



32 | BERNI



87 | PAUL



92 | MOON



94 | MOON



98 | PACIFIC



101 | ELYSIUM



104 | RAFIC



36 | VEL



39 | MISTI



40 | AIGO



44 | MIB



47 | NEVE



48 | ROYAL



104 | AMEL



105 | ADORAY



50 | ORACLE



53 | VEL



55 | MADDI



56 | MINIMAL



59 | TALL



60 | LORD



Cement
& Concrete

108 | NAVY



111 | STAGE



112 | NODINO



114 | LUNA



117 | RITZ



62 | LUXOR



65 | PIPE



66 | GLEAM



68 | TOWER



71 | MOOD



72 | NEMO



117 | MORIS



118 | PETRA



119 | MINOR



74 | DYOL



77 | SELENE



79 | AETHER



80 | SLOT



83 | DESSAY



84 | NAWA



Wall

126 | COPPER



130 | RIDGE



132 | MOBY



135 | ANETH



137 | PATH



OUTDOOR

139 | NOVA



140 | POLLY




142 | YORK



144 | ORION



147 | TWIN



149 | OPERA



Portable
Lights

185 | LUMO



189 | DECK



190 | PETIT



192 | PERSEA



193 | ARION



152 | ASTRAL



155 | INGA



156 | STYLE



158 | BROWN



160 | FLORA



163 | TICK



196 | LUCIA



199 | ONE



164 | YOKO



164 | WAY



167 | GERBER



167 | IRID



168 | SALLY



168 | NECTAR



Step
Lights

205 | NECTAR



207 | TOBY



208 | PAN



210 | APPIA



212 | ECHO



Ceiling

174 | JUDI



174 | SKY



176 | SIMPLY



179 | LUMINA



212 | VIVION





Bollard

Our bollard lights bring a rustic charm to outdoor spaces, blending effortlessly with the natural surroundings.

These lights offer a harmonious balance of functionality and artistic design, providing subtle, inviting illumination for gardens, pathways and patios



VIRTUS

— 9030572

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 16 Watt
220-240 Volt
1190Lm · 3000K
IP65

—
D1: 30
D2: 12
H: 33 cm



VIRTUS
— 9030573

VIRTUS

— 9030573

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 16 Watt
220-240 Volt
1190Lm · 3000K
IP65

**Connect with code
9030574 or 9030575**

—
D1: 30
D2: 12
H: 27 cm



VIRTUS
— 9030574



VIRTUS

— 9030574

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
**Connect with code
9030573**

—
D: 12
H: 55 cm

VIRTUS

— 9030575

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
**Connect with code
9030573**

—
D: 12
H: 155 cm

VIRTUS
— 9030575



SOLSTICE
— 9030626

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 16 Watt
220-240 Volt
1130Lm · 3000K
IP65
—
D: 16
H: 220 cm



SOLSTICE
— 9030627

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 16 Watt
220-240 Volt
1105Lm · 3000K
IP65
—
L: 14.5
W: 14.5
H: 220 cm



SOLSTICE
— 9030626



16
220

SOLSTICE
— 9030627



14,5 14,5
220





TUBE

— 9030805

Sandy Black
Aluminium
Polycarbonate
Diffuser
LED · 14 Watt
220-240 Volt
643Lm · 3000K
IP54

—
D: 13
H: 60 cm



TUBE
— 9030805



8
60
13

TUBE

— 9030806

Sandy Black
Aluminium
Polycarbonate
Diffuser
LED · 27 Watt
220-240 Volt
1560Lm · 3000K
IP54

—
D: 13
H: 120 cm



TUBE
— 9030806



8
120
13





SASSO
— 9030856

Sandy Black
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Volt
908Lm · 3000K
IP54
—
L: 15
W: 9.5
H: 170cm



SASSO
— 9030855

Sandy Black
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Volt
757Lm · 3000K
IP54
—
L: 15
W: 9.5
H: 120cm




SASSO
— 9026125

Black Aluminium
& Acrylic
LED · 12 Watt
100-240 Volt
601Lm · 3000K
IP54
—
L: 15
W: 9.5
H: 70 cm



SASSO
— 9030854

Sandy Black
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Volt
374Lm · 3000K
IP54
—
L: 15
W: 9.5
H: 40cm









BERNI
— 9030565



BERNI
— 9030566



BERNI
— 9030567



BERNI
— 9030565

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 88Lm
3000K · IP65
**Solar light
with sensor**

—
L: 23
W: 8.6
H: 15.5 cm



BERNI
— 9030566

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 108Lm
3000K · IP65
**Solar light
with sensor**

—
L: 23
W: 8.6
H: 50 cm



BERNI
— 9030567

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 108Lm
3000K · IP65
**Solar light
with sensor**

—
L: 23
W: 8.6
H: 70 cm





BERNI
— 9030589

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
407Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 20 cm



BERNI
— 9030592

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 9 Watt
220-240 Volt
255Lm · 3000K
IP65
—
L: 8.6
W: 12.5
H: 23 cm



BERNI
— 9030590

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
491Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 50 cm



BERNI
— 9030591

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
489Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 75 cm




BERNI
— 9030589





BERNI
— 9030592



BERNI
— 9030590



BERNI
— 9030591





AKMI
— 9030570

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Volt
244Lm · 3000K
IP65
—
L: 15
W: 12.5
H: 26 cm


VEL
— 9030570



AKMI
— 9030571

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Volt
344Lm · 3000K
IP65
—
L: 26
W: 15
H: 50 cm

VEL
— 9030571





MISTI

— 9030568

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Volt
271Lm · 3000K
IP65

—
L: 18
W: 13
H: 18 cm



MISTI
— 9030568




MISTI



— 9030569

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Volt
359Lm · 3000K
IP65

—
L: 18
W: 18
H: 50 cm



MISTI
— 9030569





PRIVE
— 9030751

Sandy Black
Aluminium & Glass
LED · 9 Watt
220-240 Volt
284Lm · 3000K
IP65

L: 10
W: 12
H: 13 cm



PRIVE
— 9030752

Sandy Black
Aluminium & Glass
LED · 14 Watt
220-240 Volt
383Lm · 3000K
IP65

L: 12
W: 14
H: 19 cm



PRIVE
— 9030753

Sandy Black
Aluminium & Glass
LED · 17 Watt
220-240 Volt
509Lm · 3000K
IP65

L: 17
W: 17
H: 25 cm



PRIVE
— 9030751



PRIVE
— 9030752



PRIVE
— 9030753



PRIVE
— 9030754

Sandy Black
Aluminium & Glass
LED · 15 Watt
220-240 Volt
174Lm · 3000K
IP65

L: 25
W: 25
H: 26 cm



PRIVE
— 9030754



PRIVE
— 9030755


Sandy Black
Aluminium & Glass
LED · 15 Watt
220-240 Volt
155Lm · 3000K
IP65

L: 35
W: 35
H: 36 cm



PRIVE
— 9030755






AIGO
— 9030580



AIGO
— 9030581



AIGO
— 9030582



AIGO
— 9030580

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 145Lm
3000K · IP65
**Solar light
with sensor**

L: 16
W: 17.7
H: 3.2 cm



AIGO
— 9030581

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 89Lm
3000K · IP65
**Solar light
with sensor**

D: 16
H: 18 cm



AIGO
— 9030582

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 1.7 Watt
3.7 Volt · 107Lm
3000K · IP65
**Solar light
with sensor**

D: 16
H: 50 cm





AIGO
— 9030586

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
428Lm · 3000K
IP65

—
D: 16
H: 20 cm



AIGO
— 9030587

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
519Lm · 3000K
IP65



—
D: 16
H: 50 cm



AIGO
— 9030588

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Volt
501Lm · 3000K
IP65

—
D: 16
H: 75 cm





METRO
— 9030716

Sandy Black
Aluminium
LED · 6 Watt
220-240 Volt
405Lm · 3000K
IP65

—
D: 30
H: 34 cm



METRO
— 9030716





METRO
— 9030717

Sandy Black
Aluminium
LED · 6 Watt
220-240 Volt
405Lm · 3000K
IP65

—
D: 40
H: 44 cm



METRO
— 9030717





SOUL

— 9030744

Sandy Black
Aluminium & Glass
LED · 24 Watt
220-240 Volt
712Lm · 3000K
IP65

—
D: 16
H: 43 cm



SOUL

— 9030745

Sandy Black
Aluminium & Glass
LED · 24 Watt
220-240 Volt
712Lm · 3000K
IP65



—
D: 16
H: 73 cm



SOUL
— 9030744



SOUL
— 9030745





NEVE
— 9030718

Sandy Black
Aluminium
LED · 11 Watt
220-240 Volt
600Lm · 3000K
IP65

—
D: 13
H: 30 cm



NEVE
— 9030718




NEVE
— 9030719

Sandy Black
Aluminium
LED · 11 Watt
220-240 Volt
600Lm · 3000K
IP65

—
D: 13
H: 50 cm



NEVE
— 9030719



ROYAL
— 9186709

Sandy Black
Aluminium
LED · 6 Watt
220-240 Volt
277Lm · 3000K
IP65

—
D: 9
H: 29.5 cm



ROYAL
— 9186710

Sandy Black
Aluminium
LED · 6 Watt
220-240 Volt
277Lm · 3000K
IP65

—
D: 9
H: 59.5 cm






ORACLE
— 9060245

Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Volt
326Lm · 3000K
IP65
—
L: 12
W: 21
H: 89.8 cm



ORACLE
— 9060246

Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Volt
326 Lm · 3000K
IP65
—
L: 12
W: 21
H: 59.8 cm





VEL
— 9030723

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
700Lm · 3000K
IP65


L: 9.5
H: 61 cm




VEL
— 9030724

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
700Lm · 3000K
IP65

L: 9.5
H: 80 cm



VEL
— 9030723



VEL
— 9030724



MADDI
— 9030903

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
253Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 30 cm



MADDI
— 9030904

Corten
Aluminium
LED · 7 Watt
220-240 Volt
253Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 30 cm



MADDI
— 9030905

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 60 cm



MADDI
— 9030906

Corten
Aluminium
LED · 7 Watt
220-240 Volt
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 60 cm



MADDI
— 9030903



MADDI
— 9030904



MADDI
— 9030905



MADDI
— 9030906





MINIMAL
— 9176111

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
369Lm · 3000K
IP65

L: 16.3
W: 5.7
H: 30 cm



MINIMAL
— 9176111




MINIMAL
— 9176112

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
369Lm · 3000K
IP65

L: 16.3
W: 5.7
H: 65 cm



MINIMAL
— 9176112





TALL
— 9030802

Sandy Black
Aluminium
Glass Diffuser
LED · 9 Watt
220-240 Volt
562Lm · 3000K
IP54

Light up & down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030863

Sandy White
Aluminium
Glass Diffuser
LED · 9 Watt
220-240 Volt
562Lm · 3000K
IP54

Light up & down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030803

Sandy Black
Aluminium
Glass Diffuser
LED · 6 Watt
220-240 Volt
388Lm · 3000K
IP54

Light down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030864

Sandy White
Aluminium
Glass Diffuser
LED · 6 Watt
220-240 Volt
388Lm · 3000K
IP54

Light down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030804

Sandy Black
Aluminium
Glass Diffuser
LED · 4 Watt
220-240 Volt
131Lm · 3000K
IP54

—

L: 12.5
W: 4
H: 30 cm



TALL
— 9030803



TALL
— 9030864



TALL
— 9030802



TALL
— 9030863



TALL
— 9030804



LORD
— 9060247

Sandy Black
Aluminium
LED · 4 Watt
220-240 Volt
217Lm · 3000K
IP65

—
D: 8
H: 60 cm



LORD
— 9060248

Sandy Black
Aluminium
LED · 8 Watt
220-240 Volt
356 Lm · 3000K
IP65

—
D: 8
H: 90 cm



LUXOR

— 9060249

Sandy Black
Aluminium
LED · 4 Watt
220-240 Volt
143Lm · 3000K
IP65

—
D: 8
H: 60 cm




LUXOR

— 9060250

Sandy Black
Aluminium
LED · 9 Watt
220-240 Volt
378 Lm · 3000K
IP65

—
D: 8
H: 90 cm



NITRO
— 9030748

Sandy Black
Aluminium & Glass
LED · 12 Watt
220-240 Volt
482Lm · 3000K
IP65

—
D: 15
W: 3.5 cm



NITRO
— 9030749

Sandy Black
Aluminium & Glass
LED · 12 Watt
220-240 Volt
469Lm · 3000K
IP65

—
D: 15
W: 23.7 cm



NITRO
— 9030750

Sandy Black
Aluminium & Glass
LED · 12 Watt
220-240 Volt
469Lm · 3000K
IP65

—
D: 15
W: 43.7 cm



NITRO
— 9030748



3,5
15

NITRO
— 9030749




15
20
23,7

NITRO
— 9030750




15
40
43,7







PIPE
— 9060263




PIPE
— 9060264



PIPE
— 9060261



PIPE
— 9060262



PIPE
— 9060263

Sandy Black
Steel
LED · 5 Watt
220-240 Volt
188Lm · 3000K
IP65

—
L: 1.5
W: 11
H: 65.5 cm



PIPE
— 9060264

Corten
Steel
LED · 5 Watt
220-240 Volt
188Lm · 3000K
IP65

—
L: 1.5
W: 11
H: 65.5 cm



PIPE
— 9060261

Sandy Black
Steel
LED · 5 Watt
220-240 Volt
188Lm · 3000K
IP65

—
L: 1.5
W: 11
H: 95.5 cm



PIPE
— 9060262

Corten
Steel
LED · 5 Watt
220-240 Volt
188Lm · 3000K
IP65

—
L: 1.5
W: 11
H: 95.5 cm





GLEAM
— 9030846

Sandy Black
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Volt
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 60 cm



GLEAM
— 9030847

Sandy Black
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Volt
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 80 cm





TOWER
— 9030824



5.8
16.5

TOWER
— 9030825



TOWER
— 9030826



16
52

TOWER
— 9030824

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 8 Watt
220-240 Volt
739Lm · 3000K
IP65
—
D: 16.5
W: 5.8




TOWER
— 9030825

Sandy White Acrylic
Polycarbonate
Diffuser
LED · 8 Watt
220-240 Volt
739Lm · 3000K
IP65
—
D: 16.5
W: 5.8



TOWER
— 9030826

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 8 Watt
220-240 Volt
714Lm · 3000K
IP65
—
D: 16
H: 52 cm





MOOD
— 9030857

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
402Lm · 3000K
IP65

—
D: 11
H: 20cm



MOOD
— 9030858

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
402Lm · 3000K
IP65

—
D: 11
H: 20cm



MOOD
— 9030949

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
402Lm · 3000K
IP65

—
D: 11
H: 20cm (+21 spike)



MOOD
— 9030859

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
402Lm · 3000K
IP65


—
D: 11
H: 40cm



MOOD
— 9030860

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
424Lm · 3000K
IP65

—
D: 11
H: 40cm




NEMO
— 9030861

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
424Lm · 3000K
IP65
—
D: 11
H: 20cm



NEMO
— 9030862

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Volt
424Lm · 3000K
IP65
—
D: 11
H: 40cm





DYOL
— 9923400

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
735Lm · 3000K
IP65

Included plastic spike

D: 12
H: 102 cm





DYOL
— 9923401

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
377Lm · 3000K
IP65

Included plastic spike

D: 12
H: 63 cm






SELENE
— 9030851

Sandy Black
Aluminium & Glass
LED · 3 Watt
100-240 Volt
133Lm · 3000K
IP65
Beam Angle 45°
—
D: 6.5
W: 6
H: 50 cm



SELENE
— 9030851





AETHER
— 9030850

Sandy Black
Aluminium
& Smoking Glass
LED · 5 Watt
100-240 Volt
71Lm · 3000K
IP65
—
D: 12
W: 17
H: 51 cm



AETHER
— 9030850



AETHER
— 9030848

Sandy Black
Aluminium
& Smoking Glass
LED · 5 Watt
100-240 Volt
71Lm · 3000K
IP65
—
D: 12
W: 17
H: 60 cm



AETHER
— 9030848




AETHER
— 9030849

Sandy Black
Aluminium
& Smoking Glass
LED · 10 Watt
100-240 Volt
141Lm · 3000K
IP65
—
D: 15
W: 52
H: 80 cm



AETHER
— 9030849



SLOT
— 9030909

Corten Aluminium
LED · 4 Watt
220-240 Volt
195Lm · 3000K
IP65

Included plastic spike

—
D: 10
W: 2.5
H: 100 cm



SLOT
— 9030908

Corten Aluminium
LED · 4 Watt
220-240 Volt
195Lm · 3000K
IP65

Included plastic spike

—
D: 10
W: 2.5
H: 80 cm



SLOT
— 9030907


Corten Aluminium
LED · 4 Watt
220-240 Volt
195Lm · 3000K
IP65

Included plastic spike

—
D: 10
W: 2.5
H: 60 cm



SLOT
— 9030909



SLOT
— 9030908



SLOT
— 9030907





DESSAY
— 9923404

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
1117Lm · 3000K
IP65

Included plastic spike

—
D: 1.6
H: 98 cm



DESSAY
— 9923403

Sandy Black
Aluminium
LED · 11 Watt
220-240 Volt
1113Lm · 3000K
IP65

Included plastic spike

—
D: 1.6
H: 82 cm



DESSAY
— 9923402

Sandy Black
Aluminium
LED · 6 Watt
220-240 Volt
538Lm · 3000K
IP65

Included plastic spike

—
D: 1.6
H: 58 cm




DESSAY
— 9923404




20.3
4.9
9.5
88.5
1.6
98
118.3

DESSAY
— 9923403



20.3
4.9
9.5
72.5
1.6
82
102.3

DESSAY
— 9923402



20.3
4.9
9.5
48.5
1.6
58
78.3

NAWA
— 9030720

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
666Lm · 3000K
IP65

Included plastic spike

D: 15
H: 32 cm



NAWA
— 9030721

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
666Lm · 3000K
IP65

Included plastic spike

D: 15
H: 60 cm




NAWA
— 9030722

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
666Lm · 3000K
IP65

Included plastic spike

D: 15
H: 93 cm





PAUL
— 9176106

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Volt
893Lm · 3000K
IP65
—
D: 10
H: 28 cm




PAUL
— 9176109

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Volt
685Lm · 3000K
IP65
—
D: 8
H: 60 cm



PAUL
— 9176110

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Volt
685Lm · 3000K
IP65
—
D: 8
H: 80 cm



PAUL
— 9176106



PAUL
— 9176109



PAUL
— 9176110



PAUL
— 9176107

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Volt
893Lm · 3000K
IP65
With Sensor
—
D: 11.5
H: 28 cm



PAUL
— 9176108

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Volt
685Lm · 3000K
IP65
With Sensor
—
D: 9.5
H: 60 cm



PAUL
— 9176107


D: 11.5
H: 28 cm



PAUL
— 9176108

D: 9.5
H: 60 cm





MOON
— 9186712


White Texture
Resign Black
Canopy & Cable
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

—
D: 50
H: 250cm



MOON
— 9186713



MOON
— 9186713


White Texture
Resign Black
Canopy & Cable
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED


—
D: 40
H: 250cm



MOON
— 9186714



MOON
— 9186712




MOON
— 9186714

White Texture
Resign Black
Canopy & Cable
LED · E14 · 1x5 Watt
100-240 Volt
IP65

BULB EXCLUDED

—
D: 30
H: 250cm



MOON

— 9186715

White Texture
Resin & White
Base with Spike
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

D: 50
H: 50 cm



MOON
— 9186715



MOON
— 9186716



MOON

— 9186716

White Texture
Resin & White
Base with Spike
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

D: 40
H: 40 cm



MOON
— 9186717



MOON
— 9186718



MOON

— 9186717

White Texture
Resin & White
Base with Spike
LED · E14 · 1x5 Watt
100-240 Volt
IP65

BULB EXCLUDED

D: 30
H: 30 cm



MOON

— 9186718

White Texture
Resin & White
Base with Spike
LED · E14 · 1x5 Watt
100-240 Volt
IP65

BULB EXCLUDED


D: 25
H: 25 cm








PACIFIC
— 9030601



PACIFIC
— 9030605



PACIFIC
— 9030601

Sandy Black
Die-Casting
Aluminium
Natural Wood Colour
Acrylic & Clear
Polycarbonate
LED · E27
1x12 Watt
100-240 Volt
IP65
BULB EXCLUDED
—
L: 14.5
W: 20.6
H: 27.6 cm



PACIFIC
— 9030605

Sandy Black
Die-Casting
Aluminium
Natural Wood Colour
Acrylic & Clear
Polycarbonate
LED · E27
1x12 Watt
100-240 Volt
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 22 cm




PACIFIC
— 9030604

Sandy Black
Die-Casting
Aluminium
Natural Wood Colour
Acrylic & Clear
Polycarbonate
LED · E27
1x12 Watt
100-240 Volt
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 50 cm




PACIFIC
— 9030604







PACIFIC
— 9030602



PACIFIC
— 9030606



PACIFIC
— 9030603



PACIFIC
— 9030602

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 14.5
W: 20.6
H: 27.6 cm



PACIFIC
— 9030606

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 22 cm



PACIFIC
— 9030603

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 50 cm





ELYSIUM
— 9030628

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

—
D: 16
H: 35 cm



ELYSIUM
— 9030629

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED



—
D: 16
H: 50 cm



ELYSIUM
— 9030628



ELYSIUM
— 9030629



AMEL
— 9030577

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 12.5
W: 8.5
H: 25.5 cm



AMEL
— 9030577



AMEL
— 9030578

Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 14
W: 9.4
H: 27 cm



AMEL
— 9030578



ADORAY
— 9030579


Sandy Black
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Volt
IP65

BULB EXCLUDED

L: 10
W: 14.2
H: 19.7 cm



ADORAY
— 9030579



Cement & Concrete

Our cement & concrete lighting fixtures bring a touch of industrial chic to any space, combining rugged durability with subtle elegance. Perfect for both modern and rustic spaces, these lights offer a raw, minimalist aesthetic that highlights their solid construction.

Our cement lights blend seamlessly with a variety of styles, adding character and sophistication to your environment





NAVY

— 9540225

Gray Cement
LED · 20 Watt
220-240 Volt
1018Lm · 3000K
IP65

—
D: 19.2
H: 54.5 cm




NAVY


— 9540226

Gray Cement
LED · 20 Watt
220-240 Volt
1018Lm · 3000K
IP65

—
D: 19.2
H: 99.5 cm



NAVY
— 9540225



NAVY
— 9540226






STAGE
— 9186707

Gray Cement
LED · 6 Watt
220-240 Volt
279Lm · 3000K
IP65
—
L: 15
W: 15
H: 35 cm



STAGE
— 9186707




STAGE
— 9186708

Gray Cement
LED · 6 Watt
220-240 Volt
279Lm · 3000K
IP65
—
L: 15
W: 15
H: 70 cm



STAGE
— 9186708






NODINO
— 9186705

Gray Cement
LED · 6 Watt
220-240 Volt
197Lm · 3000K
IP65

—
D: 18
H: 50 cm



NODINO
— 9186705




NODINO
— 9186706

Gray Cement
LED · 6 Watt
220-240 Volt
197Lm · 3000K
IP65

—
D: 18
H: 75 cm



NODINO
— 9186706




LUNA

— 9540234

Sandy Dark Gray
Concrete
LED · 10 Watt
100-265 Volt
536Lm · 3000K
IP65

L: 30
W: 4.5 cm
H: 10




LUNA

— 9540235

Sandy Dark Gray
Concrete
LED · 11 Watt
100-265 Volt
644Lm · 3000K
IP65

L: 40
W: 4.5 cm
H: 10



LUNA

— 9540236

Sandy Dark Gray
Concrete
LED · 19 Watt
100-265 Volt
1191Lm · 3000K
IP65

L: 60
W: 4.5 cm
H: 10





RITZ
— 9540227

Gray Cement
LED · 10 Watt
220-240 Volt
1044Lm · 3000K
IP65

—
D: 10.2
H: 12 cm




RITZ
— 9540227




RITZ
— 9540228

Gray Cement
LED · 10 Watt
220-240 Volt
1021Lm · 3000K
IP65

—
L: 10.2
W: 10.2
H: 12 cm



RITZ
— 9540228



MORIS
— 9186703




MORIS
— 9186703

Gray Cement
LED · 8 Watt
220-240 Volt
418Lm · 3000K
IP65

—
L: 20
W: 9
H: 21.5 cm



PETRA
— 9186182



PETRA
— 9186183



PETRA
— 9186182

Stone White
Concrete
LED · 3 Watt
100-220 Volt
1681Lm · 3000K
IP65

—
L: 20
W: 14
H: 12 cm




PETRA
— 9186183

Stone Gray
Concrete
LED · 3 Watt
100-220 Volt
1681Lm · 3000K
IP65

—
L: 20
W: 14
H: 12 cm



MINOR
— 9186704



MINOR
— 9186704

Gray Cement
LED · G9
1x5 Watt
100-240 Volt
IP65


BULB EXCLUDED

—
D: 15
H: 13.5 cm



Wall

Our outdoor wall lights add a welcoming touch to exterior areas, complementing both natural and architectural elements. They offer a mix of practical illumination and elegant design, perfect for brightening up entryways, walkways and balconies



COPPER
— 9923411

Sandy White
Aluminium
LED · 7 Watt
220-240 Volt
495Lm · 3000K
IP65


—
D: 13.5
W: 4 cm



COPPER
— 9923411



COPPER
— 9923413




COPPER
— 9923413

Sandy White
Aluminium
LED · 9 Watt
220-240 Volt
940Lm · 3000K
IP65


—
D: 18
W: 4 cm



COPPER
— 9923415



COPPER
— 9923417



COPPER
— 9923415

Sandy White
Aluminium
LED · 12 Watt
220-240 Volt
948Lm · 3000K
IP65

—
D: 24
W: 5.6 cm



COPPER
— 9923417

Sandy White
Aluminium
LED · 16 Watt
220-240 Volt
1111Lm · 3000K
IP65

—
D: 30
W: 7.1 cm






COPPER
— 9923412

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
467Lm · 3000K
IP65

—
D: 13.5
W: 4 cm



COPPER
— 9923412




COPPER
— 9923414

Sandy Black
Aluminium
LED · 9 Watt
220-240 Volt
476Lm · 3000K
IP65

—
D: 18
W: 4 cm



COPPER
— 9923414




COPPER
— 9923416

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
975Lm · 3000K
IP65

—
D: 24
W: 5.6 cm



COPPER
— 9923416






COPPER
— 9923418

Sandy Black
Aluminium
LED · 16 Watt
220-240 Volt
1046Lm · 3000K
IP65

—
D: 30
W: 7.1 cm



COPPER
— 9923418



RIDGE


— 9923405

Sandy White
Aluminium
LED · 12 Watt
220-240 Volt
1073Lm · 3000K
IP65


—
D1: 1.6
D2: 7.6
H: 65 cm



RIDGE
— 9923405



RIDGE
— 9923406



RIDGE


— 9923406

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
1073Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 65 cm



RIDGE
— 9923407



RIDGE
— 9923408

RIDGE

— 9923407

Sandy White
Aluminium
LED · 19 Watt
220-240 Volt
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm



RIDGE

— 9923408


Sandy Black
Aluminium
LED · 19 Watt
220-240 Volt
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm







MOBY — 9030900



MOBY — 9030901



MOBY — 9030902



MOBY — 9030900

Sandy Black
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Volt
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY — 9030901

Sandy White
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Volt
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY — 9030902

Corten
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Volt
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm





ANETH
— 9923409

Sandy White
Aluminium
LED · 20 Watt
220-240 Volt
1691Lm · 3000K
IP65

—
L: 5.2
W: 4.9
H: 104 cm




ANETH
— 9923410

Sandy Black
Aluminium
LED · 20 Watt
220-240 Volt
1691Lm · 3000K
IP65

—
L: 5.2
W: 4.9
H: 104 cm



ANETH
— 9923409



ANETH
— 9923410





PATH
— 9030707

Sandy Black
Aluminium
LED · 11 Watt
220-240 Volt
150Lm · 3000K
IP65
—
L: 51
W: 6
H: 4.7 cm




PATH
— 9030707



PATH
— 9030708

Sandy White
Aluminium
LED · 11 Watt
220-240 Volt
150Lm · 3000K
IP65
—
L: 51
W: 6
H: 4.7 cm



PATH
— 9030708



PATH
— 9030709

Sandy Black
Aluminium
LED · 19 Watt
220-240 Volt
380Lm · 3000K
IP65
—
L: 100
W: 6
H: 4.5 cm




PATH
— 9030709



PATH
— 9030710

Sandy White
Aluminium
LED · 19 Watt
220-240 Volt
380Lm · 3000K
IP65
—
L: 100
W: 6
H: 4.5 cm



PATH
— 9030710






BREGGO
— 9923419

Sandy White
Aluminium
LED · 12 Watt
220-240 Volt
669Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923420

Sandy Black
Aluminium
LED · 12 Watt
220-240 Volt
669Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923421

Sandy White
Aluminium
LED · 17 Watt
220-240 Volt
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923422

Sandy Black
Aluminium
LED · 17 Watt
220-240 Volt
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923419



BREGGO
— 9923420



BREGGO
— 9923421



BREGGO
— 9923422






NOVA
— 9030943

Sandy Black
Aluminium & Glass
LED · 21 Watt
220-240 Volt
974Lm · 3000K
IP65
—
L: 50
W: 6.5
H: 9 cm



NOVA
— 9030943




NOVA
— 9030944

Sandy Black
Aluminium & Glass
LED · 36 Watt
220-240 Volt
1579Lm · 3000K
IP65
—
L: 100
W: 6.5
H: 9 cm



NOVA
— 9030944





POLLY
— 9030922

Sandy Black
Aluminium
LED · 10 Watt
220-240 Volt
608Lm · 3000K
IP54

—
L: 13
W: 5.5
H: 18 cm



POLLY
— 9030923

Sandy White
Aluminium
LED · 10 Watt
220-240 Volt
608Lm · 3000K
IP54

—
L: 13
W: 5.5
H: 18 cm



POLLY
— 9030922



POLLY
— 9030923



PRATO

— 9030746

Sandy Black
Aluminium & Glass
LED · 10 Watt
220-240 Volt
434Lm · 3000K
IP65

L: 18.4
W: 3.6
H: 11 cm



PRATO
— 9030746



PRATO


— 9030747

Sandy White
Aluminium & Glass
LED · 10 Watt
220-240 Volt
533Lm · 3000K
IP65

L: 18.4
W: 3.6
H: 11 cm



PRATO
— 9030747



YORK
— 9030830

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Volt
IP65

Light up & down
BULB EXCLUDED

—
L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030831



YORK
— 9030831

Sandy White Acrylic
Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Volt
IP65

Light up & down
BULB EXCLUDED

—
L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030833



YORK
— 9030832

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Volt
IP65

BULB EXCLUDED

—
L: 11
W: 8.5
H: 11 cm




YORK
— 9030833

Sandy White Acrylic
Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Volt
IP65

BULB EXCLUDED

—
L: 11
W: 8.5
H: 11 cm





ORION
— 9030934

Sandy Black
Aluminium & Glass
LED · 4 Watt
220-240 Volt
161Lm · 3000K
IP54

Light up & down

L: 8
W: 4.5
H: 16 cm



ORION
— 9030935

Corten
Aluminium & Glass
LED · 4 Watt
220-240 Volt
161Lm · 3000K
IP54

Light up & down

L: 8
W: 4.5
H: 16 cm



ORION
— 9030936

Sandy White
Aluminium & Glass
LED · 4 Watt
220-240 Volt
161Lm · 3000K
IP54

Light up & down

L: 8
W: 4.5
H: 16 cm




ORION
— 9030934



ORION
— 9030935



ORION
— 9030936





BETA
— 9030800

Sandy Black
Aluminium
Glass Diffuser
LED · 8 Watt
220-240 Volt
684Lm · 3000K
IP54

Light down

—
D: 9
W: 11
H: 6.8 cm



BETA
— 9030800



BETA
— 9030801

Sandy Black
Aluminium
Glass Diffuser
LED · 13 Watt
220-240 Volt
1253Lm · 3000K
IP54

Light up & down

—
D: 9
W: 11
H: 6.8 cm



BETA
— 9030801






OPERA
— 9030937

Sandy Black
Aluminium & Glass
LED · 11 Watt
220-240 Volt
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm



OPERA
— 9030937



OPERA
— 9030940



OPERA
— 9030940

Sandy Black
Aluminium & Glass
LED · 6 Watt
220-240 Volt
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938

Corten
Aluminium & Glass
LED · 11 Watt
220-240 Volt
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938



OPERA
— 9030941



OPERA
— 9030941

Corten
Aluminium & Glass
LED · 6 Watt
220-240 Volt
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm



OPERA
— 9030939

Sandy White
Aluminium & Glass
LED · 11 Watt
220-240 Volt
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm



OPERA
— 9030939



OPERA
— 9030942



OPERA
— 9030942

Sandy White
Aluminium & Glass
LED · 6 Watt
220-240 Volt
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm





ASTRAL
— 9030633

Sandy Black
Die-Casting
Aluminium Natural
Wood Colour Acrylic
& Clear Glass
LED · 10 Watt
220-240 Volt
192Lm · 3000K
IP65


L: 8.6
W: 9
H: 25.8 cm



ASTRAL
— 9030633



ASTRAL
— 9030631



ASTRAL
— 9030631

Sandy Black
Die-Casting
Aluminium Natural
Wood Colour Acrylic
& Clear Glass
LED · 16 Watt
220-240 Volt
374Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm



ASTRAL
— 9030632



ASTRAL
— 9030630



ASTRAL
— 9030632

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Volt
373Lm · 3000K
IP65

L: 8.6
W: 9
H: 25.8 cm



ASTRAL
— 9030630

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 16 Watt
220-240 Volt
948Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm





INGA
— 9030594

Sandy Rust Brown
Die-Casting
Aluminium
& Clear Glass
LED · 11 Watt
220-240 Volt
875Lm · 3000K · IP65
Light up & down

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030593

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 11 Watt
220-240 Volt
875Lm · 3000K · IP65
Light up & down

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030595

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 18 Watt
220-240 Volt
1484Lm · 3000K · IP65
Light up & down

L: 30
W: 7.3
H: 6.5 cm




INGA
— 9030596

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 31 Watt
220-240 Volt
3028Lm · 3000K · IP65
Light up & down

L: 45
W: 7.3
H: 6.5 cm




INGA
— 9030594




INGA
— 9030593





INGA
— 9030595



INGA
— 9030596






STYLE
— 9030945

Sandy Black
Aluminium
& Polycarbonate
LED · 20 Watt
220-240 Volt
1585Lm · 3000K
IP65

—
L: 30
W: 11.5
H: 10 cm



STYLE
— 9030945




STYLE
— 9030946

Sandy Black
Aluminium
& Polycarbonate
LED · 41 Watt
220-240 Volt
2768Lm · 3000K
IP65

—
L: 60
W: 15
H: 18 cm



STYLE
— 9030946



BROWN
— 9030583

Sandy Black
Die-Casting
Aluminium Maoni
Wood Colour Acrylic
& Clear Glass
LED · 2 Watt
3.7 Volt · 82Lm
3000K · IP65
**Solar light
with sensor**

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030584

Sandy Rust Brown
Die-Casting
Aluminium Maoni
Wood Colour Acrylic
& Clear Glass
LED · 2 Watt
3.7 Volt · 82Lm
3000K · IP65
**Solar light
with sensor**


L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030585

Sandy White
Die-Casting
Aluminium Maoni
Wood Colour Acrylic
& Clear Glass
LED · 2 Watt
3.7 Volt · 82Lm
3000K · IP65
**Solar light
with sensor**

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030583



BROWN
— 9030584



BROWN
— 9030585



FLORA
— 9030807

Sandy Black
Aluminium
Glass Diffuser
LED · 10 Watt
220-240 Volt
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm



FLORA
— 9030807



FLORA
— 9030808




FLORA
— 9030808

Sandy White
Aluminium
Glass Diffuser
LED · 10 Watt
220-240 Volt
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm





TICK

— 9030816

Sandy White
Aluminium
Glass Diffuser
LED · 4 Watt
220-240 Volt
218Lm · 3000K
IP54

Light down

L: 11.5
W: 3
H: 9 cm



TICK
— 9030816



TICK
— 9030815



TICK

— 9030815

Sandy Black
Aluminium
Glass Diffuser
LED · 4 Watt
220-240 Volt
218Lm · 3000K
IP54

Light down

L: 11.5
W: 3
H: 9 cm



TICK
— 9030817



TICK
— 9030818



TICK

— 9030817

Sandy Black
Aluminium
Glass Diffuser
LED · 7 Watt
220-240 Volt
416Lm · 3000K
IP54

Light up & down

L: 11.5
W: 3
H: 9 cm



TICK

— 9030818

Sandy White
Aluminium
Glass Diffuser
LED · 7 Watt
220-240 Volt
416Lm · 3000K
IP54

Light up & down

L: 11.5
W: 3
H: 9 cm




YOKO
— 9030827

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 13 Watt
220-240 Volt
788Lm · 3000K
IP65

Light up & down

L: 20
W: 3.9
H: 12.5 cm



YOKO
— 9030828

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 7 Watt
220-240 Volt
374Lm · 3000K
IP65

Light down

L: 20
W: 3.9
H: 12.5 cm




WAY
— 9030829

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 6 Watt
220-240 Volt
421Lm · 3000K
IP65

Light up & down

L: 13
W: 4
H: 14 cm





SENSOR


GERBER
— 9923423

Sandy Black
Aluminium
LED · 20 Watt
220-240 Volt
1261Lm · 3000K
IP54
Motion Sensor

L: 21
W: 16
H: 10 cm



GERBER
— 9923423



SOLAR

IRID
— 9030624

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 225Lm
3000K · IP65
Solar Light

L: 20
W: 10.3
H: 5.5 cm



IRID
— 9030624





SALLY
— 9176105



Sandy Black
Aluminium
LED · 20 Watt
220-240 Volt
1261Lm · 3000K
IP54

L: 21
W: 17
H: 10 cm



SALLY
— 9176105



NECTAR
— 9030576

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Volt
468Lm · 3000K
IP65

Light up & down

L: 20
W: 9.4
H: 5.5 cm



NECTAR
— 9030576





TIEPOLO
— 9030768

Sandy White
Polycarbonate
LED · 19 Watt
220-240 Volt
1727Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm



TIEPOLO
— 9030768



23.5
7.5

TIEPOLO
— 9030769

Sandy Black
Polycarbonate
LED · 19 Watt
220-240 Volt
1636Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm



TIEPOLO
— 9030769



Ceiling

Our exterior ceiling lights combine durability and elegance to create a well-lit, inviting atmosphere for any outdoor setting. Perfect for porches, patios, and entryways, they enhance both natural and architectural elements with their stylish and functional design



JUDI

— 9030834

Sandy White
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Volt
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030834



JUDI

— 9030835

Sandy Black
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Volt
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030835



JUDI

— 9030836

Sandy White
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Volt
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



JUDI
— 9030836



JUDI

— 9030837

Sandy Black
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Volt
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



JUDI
— 9030837



SKY
— 9030823



SKY

— 9030823

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 15 Watt
220-240 Volt
1197Lm · 3000K
IP65

—
D: 30
H: 7.7 cm





SIMPLY
— 9030947

Sandy Black
Aluminium & Glass
LED · 8 Watt
220-240 Volt
448Lm · 3000K
IP54
—
L: 8
W: 8
H: 6.5 cm

SIMPLY
— 9030947



SIMPLY
— 9030948



SIMPLY
— 9030948

Sandy White
Aluminium & Glass
LED · 8 Watt
220-240 Volt
448Lm · 3000K
IP54
—
L: 8
W: 8
H: 6.5 cm





LUMINA
— 9030842

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Volt
508Lm · 3000K
IP65

D: 6.5
H: 9 cm



LUMINA
— 9030842



LUMINA
— 9030843

LUMINA
— 9030843

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Volt
508Lm · 3000K
IP65

D: 6.5
H: 9 cm



LUMINA
— 9030844

Sandy Black
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Volt
716Lm · 3000K
IP65

D: 8
H: 10 cm



LUMINA
— 9030844



LUMINA
— 9030845

LUMINA
— 9030845

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Volt
716Lm · 3000K
IP65

D: 8
H: 10 cm



SPOT
— 9030821


Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Volt
IP54

BULB EXCLUDED

D: 7.6
H: 14 cm



SPOT
— 9030821



SPOT
— 9030822

SPOT
— 9030822

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Volt
IP54

BULB EXCLUDED

D: 7.6
H: 14 cm



Portable Lights

Our portable lights offer flexible illumination for any outdoor setting, combining convenience with functionality. Ideal for enhancing both home environments and professional spaces like restaurants and bars, they create inviting atmospheres with their warm glow and enhance any space





LUMO
— 9030617

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 120Lm
3000K · IP54
Switch On/Off USB wire
—
D: 12
H: 28.5 cm



LUMO
— 9030618

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 120Lm
3000K · IP54
Switch On/Off USB wire
—
D: 12
H: 28.5 cm



LUMO
— 9030619

[Touch Dimmable]
Sandy Rust Brown
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 120Lm
3000K · IP54
Switch On/Off USB wire
—
D: 12
H: 28.5 cm



LUMO
— 9030620

[Touch Dimmable]
Sandy Dark Gray
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 120Lm
3000K · IP54
Switch On/Off USB wire
—
D: 12
H: 28.5 cm



LUMO
— 9030621

[Touch Dimmable]
Sandy Olive Green
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 2 Watt
3.7 Volt · 120Lm
3000K · IP54
Switch On/Off USB wire
—
D: 12
H: 28.5 cm





**CHARGING
BASE**
— 9030622




Charging Base for one code
9030617, 9030618, 9030619,
9030620, 9030621

**CHARGING
BASE**
— 9030623



Charging Base for six codes
9030617, 9030618, 9030619,
9030620, 9030621



W: 27 L: 42.5 H: 3.5 cm





DECK
— 9030561

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium
& Polycarbonate Frost
LED · 1.5 Watt
3.7 Volt · 121Lm
3000K · IP54
—
D: 8.5
H: 30 cm



DECK
— 9030561



DECK
— 9030562

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium
& Polycarbonate Frost
LED · 1.5 Watt
3.7 Volt · 121Lm
3000K · IP54
Switch On/Off USB wire
—
D: 8.5
H: 30 cm



DECK
— 9030562



DECK
— 9030563

[Touch Dimmable]
Corten Die-Casting
Aluminium
& Polycarbonate Frost
LED · 1.5 Watt
3.7 Volt · 121Lm
3000K · IP54
Switch On/Off USB wire
—
D: 8.5
H: 30 cm



DECK
— 9030563




DECK
— 9030564

[Touch Dimmable]
Sandy Olive Green
Die-Casting
Aluminium
& Polycarbonate Frost
LED · 1.5 Watt
3.7 Volt · 121Lm
3000K · IP54
Switch On/Off USB wire
—
D: 8.5
H: 30 cm



DECK
— 9030564



PETIT
— 9030711

[Touch Dimmable]
Sandy Beige Aluminium
LED · 2 Watt · 3.7 Volt
101Lm · 3000K · IP54
Switch On/Off USB wire

D: 7
H: 28 cm



PETIT
— 9030711



PETIT
— 9030712

[Touch Dimmable]
Sandy Black Aluminium
LED · 2 Watt · 3.7 Volt
101Lm · 3000K · IP54
Switch On/Off USB wire

D: 7
H: 28 cm



PETIT
— 9030712



PETIT
— 9030713

[Touch Dimmable]
Corten Aluminium
LED · 2 Watt · 3.7 Volt
101Lm · 3000K · IP54
Switch On/Off USB wire

D: 7
H: 28 cm



PETIT
— 9030713



PETIT
— 9030714

[Touch Dimmable]
Sandy Olive Green
Aluminium
LED · 2 Watt · 3.7 Volt
101Lm · 3000K · IP54
Switch On/Off USB wire

D: 7
H: 28 cm



PETIT
— 9030714



PETIT
— 9030715

[Touch Dimmable]
Sandy Anthracite
Aluminium
LED · 2 Watt · 3.7 Volt
101Lm · 3000K · IP54
Switch On/Off USB wire

D: 7
H: 28 cm



PETIT
— 9030715






PERSEA
— 9030625

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 1.6 Watt
3.7 Volt · 181Lm
3000K · IP54
Switch On/Off USB wire
—
D: 11.5
H: 115 cm



PERSEA
— 9030625



ARION
— 9030558

Sandy Black
Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 4 Watt
220-240 Volt
187Lm · 3000K
IP65
—
D: 11
H: 50 cm



ARION
— 9030559

Rust Die-Casting
Aluminium
& Polycarbonate
Frost
LED · 4 Watt
220-240 Volt
187Lm · 3000K
IP65
—
D: 11
H: 50 cm



ARION
— 9030558



11

50

ARION
— 9030559




PLASTIC SPIKE
— 9030560



5

21





LUCIA
— 9176103

Sandy White
Aluminium
LED · 4 Watt
3.7 Volt
223Lm · 3000K
IP54

Switch On/Off
USB Wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176103



LUCIA
— 9176104




Sandy Black
Aluminium
LED · 4 Watt
3.7 Volt
223Lm · 3000K
IP54

Switch On/Off
USB Wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176104






ONE
— 9030920

Sandy Black
Aluminium
LED · 4 Watt
24Vdc · 295Lm
3000K · IP65

—
D: 3.9
H: 7.5 cm



ONE
— 9030921

Sandy Black
Aluminium
LED · 8 Watt
24Vdc · 464Lm
3000K · IP65

—
D: 6
W: 8
H: 10 cm



ONE
— 9030920



ONE
— 9030921





QUICK
— 9844057

Sandy Black
Aluminium
LED · 7 Watt
220-240 Volt
398Lm · 2700K
IP65

—
D: 6.5
H: 11 cm



QUICK
— 9844058

Sandy Black
Aluminium
LED · 10 Watt
220-240 Volt
697Lm · 2700K
IP65



—
D: 6.5
H: 11 cm



QUICK
— 9844059

Sandy Black
Aluminium
LED · 13 Watt
220-240 Volt
1160Lm · 2700K
IP65

—
D: 8
H: 14 cm



Step Lights

our step lights enhance safety and style, illuminating stairs and pathways with a subtle, effective glow. Perfect for creating secure and visually appealing spaces, they combine functionality with elegant design





NECTAR
— 9030838

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Volt
115Lm · 3000K
IP65
—
D: 12
W: 2.8 cm



NECTAR
— 9030839

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Volt
115Lm · 3000K
IP65
—
D: 12
W: 2.8 cm



NECTAR
— 9030840

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Volt
159Lm · 3000K
IP65
—
L: 11
W: 3
H: 11 cm



NECTAR
— 9030841

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Volt
159Lm · 3000K
IP65
—
L: 11
W: 3
H: 11 cm



NECTAR
— 9030838



2.8
-12-

NECTAR
— 9030839



NECTAR
— 9030840



11-30

NECTAR
— 9030841





TOBY
— 9030811

Sandy Black
Aluminium
Polycarbonate
Diffuser
LED · 3 Watt
220-240 Volt
91Lm · 3000K
IP54
—
L: 10.5
W: 2.2
H: 10.5 cm



TOBY
— 9030812

Sandy White
Aluminium
Polycarbonate
Diffuser
LED · 3 Watt
220-240 Volt
91Lm · 3000K
IP54
—
L: 10.5
W: 2.2
H: 10.5 cm



TOBY
— 9030813


Sandy Black
Aluminium
Polycarbonate
Diffuser
LED · 3 Watt
220-240 Volt
99Lm · 3000K
IP54
—
D: 11
W: 2.2 cm



TOBY
— 9030814

Sandy White
Aluminium
Polycarbonate
Diffuser
LED · 3 Watt
220-240 Volt
99Lm · 3000K
IP54
—
D: 11
W: 2.2 cm





PAN
— 9030932

Sandy Black
Aluminium & Glass
LED · 9 Watt
220-240 Volt
378Lm · 3000K
IP54

D: 15
L: 7.5 cm



PAN
— 9030933

Corten
Aluminium & Glass
LED · 9 Watt
220-240 Volt
378Lm · 3000K
IP54

D: 15
L: 7.5 cm



APPIA
— 9030597

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 5 Watt
220-240 Volt
367Lm · 3000K
IP54

—
L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030597



APPIA
— 9030598



APPIA
— 9030598

Corten
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 5 Watt
220-240 Volt
367Lm · 3000K
IP54

—
L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030599



APPIA
— 9030600



APPIA
— 9030599

Sandy Black
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 5 Watt
220-240 Volt
350Lm · 3000K
IP54

—
L: 8.5
W: 3.8
H: 20 cm



APPIA
— 9030600

Corten
Die-Casting
Aluminium &
Polycarbonate Frost
LED · 5 Watt
220-240 Volt
350Lm · 3000K
IP54

—
L: 8.5
W: 3.8
H: 20 cm




ECHO
— 9030809

Sandy Black
Aluminium
Polycarbonate
Diffuser
LED · 6 Watt
220-240 Volt
370Lm · 3000K · IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out:
L: 14.6 W: 6.25 H: 3.65



ECHO
— 9030809



ECHO
— 9030810




ECHO
— 9030810

Sandy White
Aluminium
Polycarbonate
Diffuser
LED · 6 Watt
220-240 Volt
370Lm · 3000K · IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out:
L: 14.6 W: 6.25 H: 3.65



VIVION
— 9030819



VIVION
— 9030820



VIVION
— 9030819

Sandy Black Acrylic
Polycarbonate
Diffuser
LED · 1 Watt
220-240 Volt
29Lm · 3000K · IP54


L: 10
W: 6.5
H: 5 cm
Cut out:
L: 9 W: 6.2 H: 4



VIVION
— 9030820

Sandy White Acrylic
Polycarbonate
Diffuser
LED · 1 Watt
220-240 Volt
29Lm · 3000K · IP54

L: 10
W: 6.5
H: 5 cm
Cut out:
L: 9 W: 6.2 H: 4





TIEPOLO
— 9030766

Sandy White
Polycarbonate
LED · 11 Watt
220-240 Volt
935Lm · 3000K
IP65
—
L: 6
W: 9.8
H: 20.8 cm



TIEPOLO
— 9030767

Sandy Black
Polycarbonate
LED · 11 Watt
220-240 Volt
885Lm · 3000K
IP65
—
L: 6
W: 9.8
H: 20.8 cm



TIEPOLO
— 9030766



TIEPOLO
— 9030767



POLKA

— 9030757

Sandy Black
Aluminium & Glass
LED · 3 Watt
220-240 Volt
31Lm · 3000K
IP65

L: 8.5
W: 7.2
H: 8.5 cm



POLKA
— 9030757



POLKA
— 9030774



POLKA


— 9030774

Sandy Black
Aluminium & Glass
LED · 5 Watt
220-240 Volt
55Lm · 3000K
IP65

L: 17
W: 7.4
H: 7.6 cm



POLKA
— 9030775



POLKA

— 9030775

Sandy Black
Aluminium & Glass
LED · 7 Watt
220-240 Volt
73Lm · 3000K
IP65

L: 25
W: 7.4
H: 7.6 cm



POLKA

— 9030760

Sandy Black
Aluminium & Glass
LED · 4 Watt
220-240 Volt
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm



POLKA
— 9030760



POLKA
— 9030761



POLKA

— 9030761

Sandy White
Aluminium & Glass
LED · 4 Watt
220-240 Volt
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm



RUDY

— 9030758

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Volt
203Lm · 3000K
IP65

—
L: 12
W: 4.7
H: 8 cm



RUDY
— 9030758



RUDY
— 9030759



RUDY

— 9030759

Sandy White
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Volt
245Lm · 3000K
IP65

—
L: 12
W: 4.7
H: 8 cm



OFF
— 9030776



OFF
— 9030777



OFF

— 9030776

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 4 Watt
220-240 Volt
33Lm · 3000K
IP65

—
L: 17
W: 5.3
H: 7.6 cm




OFF

— 9030777

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 6 Watt
220-240 Volt
79Lm · 3000K
IP65

—
L: 25.6
W: 5.3
H: 7.6 cm





light
the essence
of life



www.novaluce.com

